

2013-12-02


2014-

1968-

2

Fig. 2 U-Pb
granite

Bi— Hb—



2



Hf

3

λ_{Hf}^{19-20}
Hf

Hf

2-

3Ma [25-26]

[26-27]

Ma 740-730M

800Ma 780-

650-

650

15Ma

740

7

[5]Zhang C L, Li H K, Santosh M, et al

the Tarim Block, NW China: Petrology, geochemistry and U - Pb zircon geochronology from Archean potassic granite suite and Paleoproterozoic metarhyolites[J]. Journal of Asian Earth Sciences, 2012, 47: 5- 20.

王学林, 马德胜, et al. Precambrian tectonic evolution of the Tarim Block, NW China: New geochronological insights from the Quruqtagh domain[J]. Journal of Asian Earth Sciences, 2011, 44: 784- 790.

邹洪波, 李洪凯, et al. Tectonic framework and evolution of the Tarim Block, NW China[J]. Gondwana Research, 2011, 20: 315- 327.

李泽鑫, 李新华, et al. Neoproterozoic mafic dykes on the north margin of the Tarim, NW China: age, geochemistry, petrogenesis and tectonic implications[J]. Journal of Asian Earth Sciences, 2009, 35: 167- 179.

曹琳, 邹洪波, 王洪宇. Multiple phases of the Neoproterozoic igneous activity in Quruqtagh of the northeastern Tarim Block, NW China: Interaction between plate subduction and mantle plume[J]. Precambrian Research, 2011, doi: org/10.1016/j.precamres.2011.08.005.

刘卫波, 张泽, 舒立, et al. SHRIMP U - Pb zircon geochronology of Neoproterozoic Korla mafic dykes in the northeastern Tarim Block, NW China: implications for the long- lasting breakup process of Rodinia[J]. Journal of Geology Society, London, 2008, 165: 887- 890.

徐波, 肖世华, 邹洪波, et al. SHRIMP zircon U - Pb age constraints on the timing of Quruqtagh dioriticites in NW China[J]. Journal of Geology Society, London, 2011, 168: 103- 112.

[1]