

&% \$  
\$" \$" "(

97A>A9:53> EGDH7K 3@6 D7E73D5:

Ha%&% @a\$  
<g` ž"\$ "\$

ž

fi

\$#" "+\*

ž

---

\$" #+ž#\$ž%

:

#ž' 9S

#+(\*ž

#ž' 9S

&#)" \$#+)

4\$" "\$ \$#%)

7ž\_S[^!ZS YUZgS ↑ 2ZZgWgđU

4=\$" #)" \*)%

---

*Sangzhutage*

*Group*

1

*Sailajia-*

*zitage Group*

ž

*Kalakashi Group*


ž

ž

ž

---

*Aliankate Group*



Z

*Qiakemakelike Group*

3 U-Pb  
Fig.3 Concordia diagram of U- Pb zircon data for the tuff layer from Sailajiazitage Group

1 LA- MC- ICPMS U- Pb  
Tab.1 Zircon U- Pb age data analyzed by LA- MC- ICPMS from the tuff in the Sailajiazitage Group


---

\$

ž


p

ž

% ž ž

ž

&



5 - [17]

Fig.5 A schematic diagram to illustrate the relationship between the evolution of the late Mesoproterozoic-Neoproterozoic sedimentary basins and tectonic evolution process along the southwestern margin of the Tarim



\$#/#Z\$#&" ž

Sž EagdUWaXfZW

ZBT Vsf[ Y aXWd[rS^

ef >SgdVf[S \_ Sd[r M

"%#("&," \$%#ž\$&(&ž

5  
N' O  
#C  
05S  
5Z[  
; V[S 1  
05Si aaV E  
dMad/ S V f  
N&05ZW : > t > [  
eW\_ WfSk eWg  
FSc\_ 4Se[ S V fZ

Ta` bVbWf[hW ;` eYZf Xta\_ TSe[ a'aYkM0 BdMS\_ TqS  
DVaWScLZi \$" #+ %%% #' " &%'z  
O ž  
M0 "\$ \$ ' \* ' +\$%ž+%(ž  
O ž  
ž M0 "\$ \$ \$\*  
' \* , \$&%